

## 1. Product and Company Identification

<b>Product identifier</b>	<b>Ty-Ion C70 (7597-05, 7597-P3, 7597-01)</b>
<b>Other means of identification</b>	Not available
<b>Recommended use</b>	Cooling Water Treatment
<b>Recommended restrictions</b>	None known.
<b>Manufacturer information</b>	Nu-Calgon 2611 Schuetz Road St. Louis, MO 63043 US Phone: 314-469-7000 / 800-554-5499 Emergency Phone: 1-800-424-9300 (CHEMTREC)
<b>Supplier</b>	See above.

## 2. Hazards Identification

<b>Physical hazards</b>	Corrosive to metals	Category 1
<b>Health hazards</b>	Skin corrosion/irritation	Category 1
	Serious eye damage/eye irritation	Category 1
	Reproductive toxicity	Category 1B
	Specific target organ toxicity, repeated exposure	Category 2
<b>Environmental hazards</b>	Not classified.	
<b>WHMIS 2015 defined hazards</b>	Not classified	
<b>Label elements</b>		



**Signal word** Danger

**Hazard statement** May be corrosive to metals. Causes severe skin burns and eye damage. May damage fertility or the unborn child. May cause damage to organs through prolonged or repeated exposure.

**Precautionary statement**

**Prevention**

Keep only in original packaging. Do not breathe mist or vapor. Wash thoroughly after handling. Wear protective gloves, protective clothing, eye protection and face protection. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

**Response**

Absorb spillage to prevent material-damage. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor. Specific treatment (see information on this label). IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical attention.

**Storage**

Store locked up. Store in a corrosion resistant container with a resistant inner liner.

**Disposal**

Dispose of container in accordance with local, regional, national and international regulations.

**WHMIS 2015: Health Hazard(s) not otherwise classified (HHNOC)** None known

**WHMIS 2015: Physical Hazard(s) not otherwise classified (PHNOC)** None known

**Hazard(s) not otherwise classified (HNOC)** None known.

**Supplemental information** None.

## 3. Composition/Information on Ingredients

**Mixture**

Chemical name	Common name and synonyms	CAS number	%
1,2-Ethandiol		107-21-1	7-13*
Phosphonic acid, (1-hydroxyethylidene)bis-, potassium salt		67953-76-8	1-5*
Phosphonic acid,[nitrilotris(methylene)]tris-, pentasodium salt		2235-43-0	1-5*
Potassium hydroxide		1310-58-3	0.1-1*

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

**Composition comments** US GHS: The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.  
\*CANADA GHS: The exact percentage (concentration) of composition has been withheld as a trade secret.

#### 4. First Aid Measures

<b>Inhalation</b>	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor.
<b>Skin contact</b>	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Immediately call a POISON CENTER or doctor. Specific treatment (see information on this label). Wash contaminated clothing before reuse.
<b>Eye contact</b>	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.
<b>Ingestion</b>	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor.
<b>Most important symptoms/effects, acute and delayed</b>	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.
<b>Indication of immediate medical attention and special treatment needed</b>	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
<b>General information</b>	If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.

#### 5. Fire Fighting Measures

<b>Suitable extinguishing media</b>	Water fog. Foam. Dry chemical powder. Carbon dioxide.
<b>Unsuitable extinguishing media</b>	Do not use water jet as an extinguisher, as this will spread the fire.
<b>Specific hazards arising from the chemical</b>	During fire, gases hazardous to health may be formed.
<b>Special protective equipment and precautions for firefighters</b>	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
<b>Fire-fighting equipment/instructions</b>	Move containers from fire area if you can do so without risk.
<b>Specific methods</b>	Use standard firefighting procedures and consider the hazards of other involved materials.
<b>Hazardous combustion products</b>	May include and are not limited to: Oxides of carbon. Oxides of phosphorus. Oxides of nitrogen. Oxides of sulfur. Metal oxides.

#### 6. Accidental Release Measures

<b>Personal precautions, protective equipment and emergency procedures</b>	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
--	--

**Methods and materials for containment and cleaning up**

Prevent entry into waterways, sewer, basements or confined areas.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb spillage to prevent material damage. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

**Environmental precautions**

Avoid discharge into drains, water courses or onto the ground. Do not discharge into lakes, streams, ponds or public waters.

## 7. Handling and Storage

**Precautions for safe handling**

Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. When using do not eat or drink. Provide adequate ventilation. Avoid prolonged exposure. Wear appropriate personal protective equipment. Wash thoroughly after handling. Use good industrial hygiene practices in handling this material.

**Conditions for safe storage, including any incompatibilities**

Store locked up. Store in a cool, dry place out of direct sunlight. Store in a corrosion resistant container with a resistant inner liner. Keep only in the original container. Store away from incompatible materials (see Section 10 of the SDS). Keep out of reach of children.

## 8. Exposure Controls/Personal Protection

**Occupational exposure limits****Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)**

Components	Type	Value
1,2-Ethanediol (CAS 107-21-1)	Ceiling	100 mg/m <sup>3</sup>
Potassium hydroxide (CAS 1310-58-3)	Ceiling	2 mg/m <sup>3</sup>

**Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)**

Components	Type	Value	Form
1,2-Ethanediol (CAS 107-21-1)	Ceiling	100 mg/m <sup>3</sup>	Aerosol.
		50 ppm	Vapor.
	STEL	20 mg/m <sup>3</sup>	Particulate.
	TWA	10 mg/m <sup>3</sup>	Particulate.
Potassium hydroxide (CAS 1310-58-3)	Ceiling	2 mg/m <sup>3</sup>	

**Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)**

Components	Type	Value	Form
1,2-Ethanediol (CAS 107-21-1)	STEL	10 mg/m <sup>3</sup>	Aerosol, inhalable.
		50 ppm	Vapor fraction
	TWA	25 ppm	Vapor fraction
Potassium hydroxide (CAS 1310-58-3)	Ceiling	2 mg/m <sup>3</sup>	

**Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)**

Components	Type	Value	Form
1,2-Ethanediol (CAS 107-21-1)	Ceiling	100 mg/m <sup>3</sup>	Aerosol.
Potassium hydroxide (CAS 1310-58-3)	Ceiling	2 mg/m <sup>3</sup>	

**Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment)**

Components	Type	Value	Form
1,2-Ethanediol (CAS 107-21-1)	Ceiling	127 mg/m <sup>3</sup>	Vapor and mist.
		50 ppm	Vapor and mist.
Potassium hydroxide (CAS 1310-58-3)	Ceiling	2 mg/m <sup>3</sup>	

**Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21)**

Components	Type	Value	Form
1,2-Ethanediol (CAS 107-21-1)	Ceiling	100 mg/m3	Aerosol.
Potassium hydroxide (CAS 1310-58-3)	Ceiling	2 mg/m3	

**US. ACGIH Threshold Limit Values**

Components	Type	Value	Form
1,2-Ethanediol (CAS 107-21-1)	STEL	10 mg/m3	Aerosol, inhalable.
		50 ppm	Vapor fraction
	TWA	25 ppm	Vapor fraction
Potassium hydroxide (CAS 1310-58-3)	Ceiling	2 mg/m3	

**US. NIOSH: Pocket Guide to Chemical Hazards**

Components	Type	Value
Potassium hydroxide (CAS 1310-58-3)	Ceiling	2 mg/m3

<b>Biological limit values</b>	No biological exposure limits noted for the ingredient(s).
<b>Appropriate engineering controls</b>	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.
<b>Individual protection measures, such as personal protective equipment</b>	
<b>Eye/face protection</b>	Wear safety glasses with side shields (or goggles).
<b>Skin protection</b>	
<b>Hand protection</b>	Impervious gloves. Confirm with reputable supplier first.
<b>Other</b>	Wear appropriate chemical resistant clothing. As required by employer code.
<b>Respiratory protection</b>	Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134), CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2).
<b>Thermal hazards</b>	Not applicable.
<b>General hygiene considerations</b>	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. When using do not eat or drink.

**9. Physical and Chemical Properties**

<b>Appearance</b>	Clear
<b>Physical state</b>	Liquid.
<b>Form</b>	Liquid.
<b>Color</b>	Pale amber
<b>Odor</b>	Mild
<b>Odor threshold</b>	Not available.
<b>pH</b>	11.5 - 12.3
<b>Melting point/freezing point</b>	14.9 °F (-9.5 °C)
<b>Initial boiling point and boiling range</b>	Not available.
<b>Pour point</b>	Not available.
<b>Specific gravity</b>	Not available.
<b>Partition coefficient (n-octanol/water)</b>	Not available.
<b>Flash point</b>	Not available.
<b>Evaporation rate</b>	Not available.
<b>Flammability (solid, gas)</b>	Not applicable.
<b>Upper/lower flammability or explosive limits</b>	
<b>Flammability limit - lower (%)</b>	Not available.

<b>Flammability limit - upper (%)</b>	Not available.
<b>Explosive limit - lower (%)</b>	Not available.
<b>Explosive limit - upper (%)</b>	Not available.
<b>Vapor pressure</b>	Not available.
<b>Vapor density</b>	Not available.
<b>Relative density</b>	1.090 - 1.17
<b>Solubility(ies)</b>	Complete
<b>Auto-ignition temperature</b>	Not available.
<b>Decomposition temperature</b>	Not available.
<b>Viscosity</b>	Not available.
<b>Other information</b>	
<b>Explosive properties</b>	Not explosive.
<b>Oxidizing properties</b>	Not oxidizing.

---

## 10. Stability and Reactivity

---

<b>Reactivity</b>	Reacts violently with strong acids. This product may react with oxidizing agents. May be corrosive to metals.
<b>Possibility of hazardous reactions</b>	No dangerous reaction known under conditions of normal use.
<b>Chemical stability</b>	Material is stable under normal conditions.
<b>Conditions to avoid</b>	Do not mix with other chemicals.
<b>Incompatible materials</b>	Acids. Strong oxidizing agents. Oxidizing agents. Metals. Maleic anhydride.
<b>Hazardous decomposition products</b>	May include and are not limited to: Oxides of carbon. Oxides of nitrogen. Oxides of sulfur. Oxides of phosphorus.

---

## 11. Toxicological Information

---

<b>Routes of exposure</b>	Eye, Skin contact, Inhalation, Ingestion.
<b>Information on likely routes of exposure</b>	
<b>Ingestion</b>	Causes digestive tract burns. May cause stomach distress, nausea or vomiting.
<b>Inhalation</b>	May cause irritation to the respiratory system. Prolonged inhalation may be harmful.
<b>Skin contact</b>	Causes severe skin burns.
<b>Eye contact</b>	Causes serious eye damage.
<b>Symptoms related to the physical, chemical and toxicological characteristics</b>	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

### Information on toxicological effects

#### Acute toxicity

Product	Species	Test Results
Ty-Ion C70 (7597-05, 7597-P3, 7597-01) (CAS Mixture)		
<b>Acute</b>		
<i>Dermal</i>		
LD50	Mouse	35000 mg/kg, estimated
<i>Inhalation</i>		
LC50	Rat	27250 mg/m <sup>3</sup> , 4 hr, estimated 25 mg/L, 6 Hours, estimated
<i>Oral</i>		
LD50	Cat	16500 mg/kg, estimated
	Dog	55000 mg/kg, estimated
	Guinea pig	66000 mg/kg, estimated
	Human	11100 mg/kg, estimated
	Mouse	146 g/kg, estimated
	Rabbit	50000 mg/kg, estimated
	Rat	332 ml/kg, estimated

Components	Species	Test Results
1,2-Ethanediol (CAS 107-21-1)		
<b>Acute</b>		
<i>Dermal</i>		
LD50	Mouse	> 3500 mg/kg, ECHA
	Rabbit	9530 mg/kg, HSDB
<i>Inhalation</i>		
LC50	Rat	> 2.5 mg/L, 6 Hours, ECHA 2725 mg/m <sup>3</sup> , 4 hr, HSDB
<i>Oral</i>		
LD50	Cat	1670 mg/kg, CCID - New Zealand 1650 mg/kg, HSDB
	Dog	> 8.8 g/kg, HSDB 5500 mg/kg, HSDB
	Guinea pig	6600 mg/kg, CCOHS 8.2 g/kg, HSDB
	Human	1110 - 1665 mg/kg, HSDB
	Mouse	14.6 g/kg, HSDB
	Rabbit	5000 mg/kg, CCOHS
	Rat	> 10000 mg/kg, ECHA 7712 mg/kg, ECHA 5.9 g/kg, HSDB
Phosphonic acid, (1-hydroxyethylidene)bis-, potassium salt (CAS 67953-76-8)		
<b>Acute</b>		
<i>Dermal</i>		
LD50	Not available	
	Rabbit	> 5000 mg/kg, 24 Hours, ECHA
<i>Inhalation</i>		
LC50	Not available	
<i>Oral</i>		
LD50	Rat	2850 mg/kg, ECHA
Phosphonic acid,[nitrilotris(methylene)]tris-, pentasodium salt (CAS 2235-43-0)		
<b>Acute</b>		
<i>Dermal</i>		
LD50	Rabbit	> 15800 mg/kg, RTECS
<i>Inhalation</i>		
LC50	Not available	
<i>Oral</i>		
LD50	Duck	> 2510 mg/kg, RTECS
	Quail	> 2510 mg/kg, RTECS
	Rat	17800 mg/kg, RTECS
Potassium hydroxide (CAS 1310-58-3)		
<b>Acute</b>		
<i>Dermal</i>		
LD50	Not available	
<i>Inhalation</i>		
LC50	Not available	
<i>Oral</i>		
LD50	Rat	388 mg/kg, ECHA 365 mg/kg, ECHA 333 mg/kg, ECHA 273 mg/kg

<b>Skin corrosion/irritation</b>	Causes severe skin burns and eye damage.	
<b>Exposure minutes</b>	Not available.	
<b>Erythema value</b>	Not available.	
<b>Oedema value</b>	Not available.	
<b>Serious eye damage/eye irritation</b>	Causes serious eye damage.	
<b>Corneal opacity value</b>	Not available.	
<b>Iris lesion value</b>	Not available.	
<b>Conjunctival reddening value</b>	Not available.	
<b>Conjunctival oedema value</b>	Not available.	
<b>Recover days</b>	Not available.	
<b>Respiratory or skin sensitization</b>		
<b>Canada - Alberta OELs: Irritant</b>		
1,2-Ethenediol (CAS 107-21-1)	Irritant	
Potassium hydroxide (CAS 1310-58-3)	Irritant	
<b>Respiratory sensitization</b>	Not a respiratory sensitizer.	
<b>Skin sensitization</b>	This product is not expected to cause skin sensitization.	
<b>Mutagenicity</b>	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
<b>Carcinogenicity</b>	See below.	
<b>US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)</b>		
Not listed.		
<b>Reproductive toxicity</b>	May damage fertility or the unborn child.	
<b>Teratogenicity</b>	Not available.	
<b>Specific target organ toxicity - single exposure</b>	Not classified.	
<b>Specific target organ toxicity - repeated exposure</b>	May cause damage to organs through prolonged or repeated exposure.	
<b>Aspiration hazard</b>	Not an aspiration hazard.	
<b>Chronic effects</b>	Prolonged inhalation may be harmful.	

---

## 12. Ecological Information

---

<b>Ecotoxicity</b>	See below		
<b>Ecotoxicological data</b>			
<b>Components</b>		<b>Species</b>	<b>Test Results</b>
1,2-Ethenediol (CAS 107-21-1)			
Crustacea	EC50	Daphnia	46300 mg/L, 48 Hours
<b>Aquatic</b>			
Fish	LC50	Fathead minnow ( <i>Pimephales promelas</i> )	8050 mg/L, 96 hours
Potassium hydroxide (CAS 1310-58-3)			
<b>Aquatic</b>			
Fish	LC50	Western mosquitofish ( <i>Gambusia affinis</i> )	80 mg/L, 96 hours
<b>Persistence and degradability</b>	No data is available on the degradability of this product.		
<b>Bioaccumulative potential</b>	No data available.		
<b>Mobility in soil</b>	No data available.		
<b>Mobility in general</b>	Not available.		
<b>Other adverse effects</b>	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		

---

## 13. Disposal Considerations

---

<b>Disposal instructions</b>	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
<b>Local disposal regulations</b>	Dispose in accordance with all applicable regulations.
<b>Hazardous waste code</b>	D002: Waste Corrosive material [pH <=2 or >=12.5, or corrosive to steel] The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

**Waste from residues / unused products**

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

**Contaminated packaging**

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

---

## 14. Transport Information

---

**Transport of Dangerous Goods (TDG) Proof of Classification**

Classification Method: Classified as per Part 2, Sections 2.1 – 2.8 of the Transportation of Dangerous Goods Regulations. If applicable, the technical name and the classification of the product will appear below.

**U.S. Department of Transportation (DOT)**

**Basic shipping requirements:**

<b>UN number</b>	UN3266
<b>Proper shipping name</b>	Corrosive liquid, basic, inorganic, n.o.s.
<b>Technical name</b>	Potassium hydroxide
<b>Hazard class</b>	8
<b>Packing group</b>	II
<b>Special provisions</b>	386, B2, IB2, T11, TP2, TP27
<b>Packaging exceptions</b>	154
<b>Packaging non bulk</b>	202
<b>Packaging bulk</b>	242

**Transportation of Dangerous Goods (TDG - Canada)**

**Basic shipping requirements:**

<b>UN number</b>	UN3266
<b>Proper shipping name</b>	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.
<b>Technical name</b>	Potassium hydroxide
<b>Hazard class</b>	8
<b>Packing group</b>	II
<b>Special provisions</b>	16

**DOT**



**TDG**



---

## 15. Regulatory Information

---

**Canadian federal regulations**

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

**Canada Priority Substances List (Second List): Listed substance**

1,2-Ethanediol (CAS 107-21-1) Listed.

**Export Control List (CEPA 1999, Schedule 3)**

Not listed.

**Greenhouse Gases**

Not listed.

**Precursor Control Regulations**

Not regulated.

**WHMIS 2015 Exemptions**

Not applicable



**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

All chemicals used are on the TSCA inventory.

**CERCLA Hazardous Substance List (40 CFR 302.4)**

1,2-Ethanediol (CAS 107-21-1) Listed.  
 Potassium hydroxide (CAS 1310-58-3) Listed.

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)**

Not listed.

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**Hazard categories**  
 Immediate Hazard - Yes  
 Delayed Hazard - Yes  
 Fire Hazard - No  
 Pressure Hazard - No  
 Reactivity Hazard - No

**SARA 302 Extremely hazardous substance** No

**SARA 311/312 Hazardous chemical** No

**SARA 313 (TRI reporting)**

Chemicalname	CASnumber	%bywt.
1,2-Ethanediol	107-21-1	7-13*

**Other federal regulations****Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

1,2-Ethanediol (CAS 107-21-1)

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**

Not regulated.

**US state regulations** See below**US - California Hazardous Substances (Director's): Listed substance**

1,2-Ethanediol (CAS 107-21-1) Listed.  
 Potassium hydroxide (CAS 1310-58-3) Listed.

**US - Illinois Chemical Safety Act: Listed substance**

1,2-Ethanediol (CAS 107-21-1)  
 Potassium hydroxide (CAS 1310-58-3)

**US - Louisiana Spill Reporting: Listed substance**

1,2-Ethanediol (CAS 107-21-1) Listed.  
 Potassium hydroxide (CAS 1310-58-3) Listed.

**US - Minnesota Haz Subs: Listed substance**

1,2-Ethanediol (CAS 107-21-1) Listed.  
 Potassium hydroxide (CAS 1310-58-3) Listed.

**US - New Jersey RTK - Substances: Listed substance**

1,2-Ethanediol (CAS 107-21-1)  
 Potassium hydroxide (CAS 1310-58-3)

**US - Texas Effects Screening Levels: Listed substance**

1,2-Ethanediol (CAS 107-21-1) Listed.  
 Phosphonic acid,[nitrilotris(methylene)]tris-, pentasodium salt (CAS 2235-43-0) Listed.  
 Potassium hydroxide (CAS 1310-58-3) Listed.

**US - Washington Chemical of High Concern to Children: Listed substance**

1,2-Ethanediol (CAS 107-21-1)

**US. Massachusetts RTK - Substance List**

1,2-Ethanediol (CAS 107-21-1)  
 Potassium hydroxide (CAS 1310-58-3)

**US. New Jersey Worker and Community Right-to-Know Act**

1,2-Ethanediol (CAS 107-21-1)

**US. Pennsylvania Worker and Community Right-to-Know Law**

1,2-Ethanediol (CAS 107-21-1)  
 Potassium hydroxide (CAS 1310-58-3)

**US. Rhode Island RTK**

1,2-Ethanediol (CAS 107-21-1)

**US. California Proposition 65**

**WARNING:** This product can expose you to chemicals including ethylene glycol (ingested), which is known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**US - California Proposition 65 - CRT: Listed date/Developmental toxin**

1,2-Ethanediol (CAS 107-21-1)

Listed: June 19, 2015

**Inventory status**


Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

**16. Other Information**

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

HEALTH	* 3
FLAMMABILITY	0
PHYSICAL HAZARD	0
PERSONAL PROTECTION	X

**Disclaimer**

The information in the sheet was written based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

**Issue date**

07-December-2018

**Version #**

01

**Effective date**

07-December-2018

**Prepared by**

Nu-Calgon Technical Service Phone: (314) 469-7000

**Other information**

For an updated SDS, please contact the supplier/manufacturer listed on the first page of the document.