

**AVOID INHALING FUMES. WEAR APPROVED HCL VAPOR RESPIRATOR IN CLOSED AREAS TO PROVIDE VENTILATION.**

**DIRECTIONS: USE WITH COLD WATER ONLY. DO NOT HEAT SOLUTION.**

Please read carefully. Calci-Solve can be used with rubber, wood, plastic, neoprene, glass, copper, brass, steel, and other metals except aluminum or magnesium. Scale varies in mineral content. Some scale may have alkali residue which may neutralize Calci-Solve. Dilution ratio will vary with mineral and scale content. The following should work in most cases.

**COOLING TOWERS:** 10 to 20 parts water, 1 part Calci-Solve.

**BOILERS:** 10 to 15 parts water, 1 part Calci-Solve.

**HEAT EXCHANGERS, HOT WATER COILS, CONDENSER CELLS:** 2 to 5 parts water, 1 part Calci-Solve.

**TOILET BOWLS:** Pour 16 to 24 ozs. into trap, pull down seat cover to keep fumes from rusting bathroom fixtures.

**URINARY SALTS, CONCRETE:** Remove as much water as possible and use full strength Calci-Solve. When foaming action stops, either unit is clean or limit of solution is reached. Remove old solution and repeat if necessary.

**AFTER CLEANING ALWAYS FLUSH WITH CLEAN WATER UNTIL WATER RUNS CLEAR. KEEP CAP TIGHT AT ALL TIMES.**

**RIGHT TO KNOW: Chemical Name-CAS#**

Water - 7732-18-5, Hydrochloric Acid - 7647-01-0

**⚠ WARNING:** This product can expose you to chemicals including Methanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).



4134-24  
(41340)

Nu-Calgon

# Calci-Solve

## SUPER STRENGTH DESCALER

*Concentrated*



**DANGER • POISON**



Corrosive. Causes Severe Burns.  
Vapor Harmful. Eye Irritant.

Skin Irritant. May Be Fatal if Swallowed.

Wear Appropriate Personal Protective Equipment.

See PRECAUTIONS and FIRST AID Statement in Side Panel.

KEEP OUT OF REACH OF CHILDREN

**Dissolves Calcium, Concrete, Urinary Salt, Rust  
And Other Mineral Deposits. Contains RD-188  
That Forms A Protective Coating On Pipes And  
Equipment While Acid Action Takes Place.**

**FOR PROFESSIONAL USE ONLY**

**32 fl. oz. (1 quart) (946 mL)**



**DANGER**

Harmful if swallowed. Toxic if inhaled. Causes severe skin burns and eye damage. May cause respiratory irritation. May cause drowsiness or dizziness.

**PREVENTION:** Use only in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. Do not breathe dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using this product. Wash face, hands and any exposed skin thoroughly after handling.

**RESPONSE: IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. **IF ON SKIN (or hair):** Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If irritation persists or burns occur, get medical attention. **IF INHALED:** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. **IF SWALLOWED:** Rinse mouth. DO NOT induce vomiting. Drink plenty of water. Immediately call a POISON CENTER or doctor/physician.

**STORAGE:** Store in a well-ventilated place. Keep container tightly closed. Store locked up. Keep out of the reach of children.

**DISPOSAL:** Disposal should be in accordance with applicable regional, national and local laws and regulations.



Sold by: Nu-Calgon  
2611 Schuetz Rd.  
St. Louis, MO 63043

Customer Service: 800-554-5499  
Chemical Emergency: 800-424-9300  
[www.nucalgon.com](http://www.nucalgon.com)  
(618) Calgon is a licensed trade name.