Cal-Blue<sup>®</sup> Plus is the complete gas leak detector for today's service technician. The product, formulated to maintain **long lasting bubbles**, finds the smallest leaks in the system since it clings to surfaces for superior contact time. It is ideal for use in and around **food processing areas**; remove or cover all food products during use. Use freely on systems with fluorescent dyes as Cal-Blue Plus will not interfere with the use of ultraviolet or blacklight detection. Suitable for use on any pressurized refrigerant system, natural gas or oxygen line. Cal-Blue Plus is oxygen safe. **Freeze protected down to 5°F (and will handle up to 225°F).** 

## **DIRECTIONS FOR USE:**

## This product must be used in accordance to the following directions by HVACR professionals only.

Spray a uniform coating liberally on the surfaces wherever leaks are suspected. Visually examine surfaces for signs of white foam or small bubble formation. Be patient - wait a minimum of 5 minutes. Check bottom of all fittings for increased bubbles/foam. If a leak is found, consider Nu-Calgon's EasySeal if the situation is appropriate. If using sprayer, twist sprayer tip to off position when not in use.







**MICRO GAS LEAK DETECTOR** 

4182-0

**NSF** 

Nonfood Compounds

P1

Registration #150679



**Nu-Calgon** 

PINS

NSF Registered for Use in Food Processing Areas

For Any Refrigerant System

FOR PROFESSIONAL USE ONLY

1 U.S. Gallon (3.8 liters)

**PREVENTION:** Observe good industrial hygiene practices.

**RESPONSE:** Wash hands after handling.

**KEEP OUT OF REACH OF CHILDREN.** 

**STORAGE:** Store away from incompatible materials.

**DISPOSAL:** Dispose of waste and residues in accordance with local authority requirements.

Contains: Propylene Glycol (CAS# 57-55-6).







Nu-Calgon 2611 Schuetz Rd. St. Louis, MO 63043 Customer Service: 800-554-5499 Chemical Emergency: 800-424-9300 www.nucalgon.com (319) Calgon is a licensed trade name.