SAFETY DATA SHEET



1. Identification

Product identifier Foam Brite (4178-01, 4178-05, 4178-08)

Other means of identification Not available.

Recommended use Coil Cleaner / Degreaser

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Nu-Calgon

Address 2611 Schuetz Road

St. Louis, MO 63043

United States

Telephone 314-469-7000 / 800-554-5499

E-mail Not available.

Emergency phone number 1-800-424-9300 (CHEMTREC)

Supplier See above.

2. Hazard identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 1

Serious eye damage/eye irritation Category 1

Environmental hazards Not classified.

WHMIS 2015 defined hazards Not classified

Label elements



Signal word Danger

Hazard statement Causes severe skin burns and eye damage.

Precautionary statement

Prevention Do not breathe mist or vapor. Wash thoroughly after handling. Wear protective gloves, protective

clothing, eye protection and face protection.

Response IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off

immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor. Specific treatment (see information on this label). IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

Storage Store locked up.

Disposal Dispose of container in accordance with local, regional, national and international regulations.

WHMIS 2015: Health Hazard(s)

not otherwise classified

(HHNOC)

None known

WHMIS 2015: Physical Hazard(s) not otherwise classified (PHNOC)

None known.

None known

Hazard(s) not otherwise

classified (HNOC)

Supplemental information None.

3. Composition/Information on ingredients

Mixture

Chemical nameCommon name and synonymsCAS number%Sodium hydroxide1310-73-210-30*

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments

*CANADA GHS: The exact percentage (concentration) of composition has been withheld as a

US GHS: The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

4. First-aid measures

Inhalation IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a

POISON CENTER or doctor.

Skin contact IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

Immediately call a POISON CENTER or doctor. Specific treatment (see information on this label).

Wash contaminated clothing before reuse.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.

Ingestion IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or

doctor.

Most important symptoms/effects, acute and

delayed

Indication of immediate medical attention and special treatment needed

General information

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

Provide general supportive measures and treat symptomatically.

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Wear rubber gloves and chemical splash goggles. Keep out of reach of children.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from the chemical

Special protective equipment and precautions for firefighters

Fire-fighting equipment/instructions

Specific methods

Hazardous combustion products

Foam. Carbon dioxide. Dry chemical.

Do not use water jet as an extinguisher, as this will spread the fire.

Firefighters should wear a self-contained breathing apparatus.

Firefighters should wear full protective clothing including self-contained breathing apparatus.

Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials.

May include and are not limited to: Oxides of carbon.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Stop leak if you can do so without risk. Prevent entry into waterways, sewer, basements or confined areas.

Large Spills: Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb spillage to prevent material damage. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Environmental precautions

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground. Do not discharge into lakes, streams, ponds or public waters.

7. Handling and storage Precautions for safe handling Use only with adequate ventilation. Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Wear appropriate personal protective equipment. Wash thoroughly after handling. Use good industrial hygiene practices in handling this material. Keep container tightly closed. When using do not eat or drink. Store locked up. Store in a cool, dry place out of direct sunlight. Store in a corrosion resistant Conditions for safe storage, container with a resistant inner liner. Store in a closed container away from incompatible materials. including any incompatibilities Store away from incompatible materials (see Section 10 of the SDS). Keep out of reach of children. 8. Exposure controls/Personal protection Occupational exposure limits Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) Value Components Type Sodium hydroxide (CAS Ceiling 2 mg/m3 1310-73-2) Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) Components Type Value Sodium hydroxide (CAS Ceiling 2 mg/m3 1310-73-2) Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act) Components **Type** Value Sodium hydroxide (CAS Ceiling 2 mg/m3 1310-73-2) Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) Components Type Value Sodium hydroxide (CAS Ceiling 2 mg/m3 1310-73-2) Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety) Components Type Value Sodium hydroxide (CAS Ceiling 2 mg/m3 1310-73-2) Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) Components Value Type Sodium hydroxide (CAS Ceiling 2 mg/m3 1310-73-2) US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) Components Type Value Sodium hydroxide (CAS **PEL** 2 mg/m3 1310-73-2) **US. ACGIH Threshold Limit Values** Components Value Type Sodium hydroxide (CAS Ceiling 2 mg/m3 1310-73-2) **US. NIOSH: Pocket Guide to Chemical Hazards** Components Value Type Sodium hydroxide (CAS Ceiling 2 mg/m3 1310-73-2) **Biological limit values** No biological exposure limits noted for the ingredient(s). Chemicals listed in section 3 that are not listed here do not have established limit values for **Exposure guidelines** ACGIH. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates Appropriate engineering should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, controls or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Individual protection measures, such as personal protective equipment Eye/face protection Wear safety glasses with side shields (or goggles) and a face shield.

Skin protection

Hand protection Impervious gloves. Confirm with reputable supplier first.

Wear appropriate chemical resistant clothing. As required by employer code. Other

Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. Respiratory protection

> Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134),

CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2).

Thermal hazards Not applicable.

General hygiene considerations

When using do not eat or drink.

9. Physical and chemical properties

Liquid **Appearance** Liquid. Physical state **Form** Liquid Yellow Color Odor Bland.

Odor threshold Not available. 12.7 (1% in water)

14 (Concentrate)

Melting point/freezing point Initial boiling point and boiling 32 °F (0 °C)

range

212 °F (100 °C)

Not available. Pour point Specific gravity Not available. Partition coefficient Not available

(n-octanol/water)

Tag Closed Cup None to boiling Flash point

Evaporation rate Equal to water Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available

Not available

(%)

Flammability limit - upper

Not available

(%)

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Not available. Vapor pressure

Vapor density 1.24 Relative density Solubility(ies) Complete **Auto-ignition temperature** Not available Not available. **Decomposition temperature** < 5 cP Water thin **Viscosity**

Other information

Density 10.36 lb/gal Not explosive. **Explosive properties Oxidizing properties** Not oxidizing.

10. Stability and reactivity

Reacts violently with acids. This product may react with strong oxidizing agents. Reactivity

> Data suggest that Sodium hydroxide is corrosive to several metals (aluminum, zinc and zinc-containing brasses and bronzes, types 1010, 1020, 1075 and 1095 carbon steel, copper, and silicon copper); however, the data are insufficient to classify as Category 1 as per Health Canada

(Hazardous Product Assessment)(2020).

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Chemical stability Stable under recommended storage conditions.

Conditions to avoid Do not mix with other chemicals.

Incompatible materials Acids. Strong oxidizing agents. Metals.

Hazardous decomposition

products

May include and are not limited to: Oxides of carbon.

11. Toxicological information

Routes of exposure Eye, Skin contact, Inhalation, Ingestion.

Information on likely routes of exposure

IngestionCauses digestive tract burns. May cause stomach distress, nausea or vomiting.InhalationMay cause irritation to the respiratory system. Prolonged inhalation may be harmful.

Skin contact Causes severe skin burns.

Eye contact Causes serious eye damage.

Symptoms related to the physical, chemical and toxicological characteristics

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including

blindness could result.

Information on toxicological effects

Acute toxicity

Components Species Test Results

Sodium hydroxide (CAS 1310-73-2)

Acute Dermal

LD50 Not available

Inhalation

LC50 Not available

Oral

LD50 Not available

Skin corrosion/irritation Causes severe skin burns and eye damage.

Exposure minutes Not available.
Erythema value Not available.
Oedema value Not available.

Serious eye damage/eye

irritation

Causes serious eye damage.

Corneal opacity value Not available.

Iris lesion value Not available.

Conjunctival reddening Not available.

value

Conjunctival oedema value Not available.

Recover days Not available.

Respiratory or skin sensitization

Canada - Alberta OELs: Irritant

Sodium hydroxide (CAS 1310-73-2) Irritant

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

MutagenicityNon-hazardous by WHMIS/OSHA criteria.CarcinogenicityNon-hazardous by WHMIS/OSHA criteria.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Teratogenicity Non-hazardous by WHMIS/OSHA criteria.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

12. Ecological information

Ecotoxicity Components of this product have been identified as having potential environmental concerns. See

below

Ecotoxicological data

Components Species Test Results

Sodium hydroxide (CAS 1310-73-2)

Aquatic

Crustacea EC50 Water flea (Ceriodaphnia dubia) 34.59 - 47.13 mg/L, 48 hours

Fish LC50 Western mosquitofish (Gambusia affinis) 125 mg/L, 96 hours

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potentialNo data available.Mobility in soilNo data available.Mobility in generalNot available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code D002: Waste Corrosive material [pH <=2 or =>12.5, or corrosive to steel]

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

Transport of Dangerous Goods (TDG) Proof of Classification

Classification Method: Classified as per Part 2, Sections 2.1 – 2.8 of the Transportation of Dangerous Goods Regulations. If applicable, the technical name and the classification of the

product will appear below.

U.S. Department of Transportation (DOT)

Basic shipping requirements:

UN number UN3266

Proper shipping name Corrosive liquid, basic, inorganic, n.o.s.

Technical name Sodium hydroxide

Hazard class 8
Packing group ||

Special provisions 386, B2, IB2, T11, TP2, TP27

Packaging non bulk 202 Packaging bulk 242

Transportation of Dangerous Goods (TDG - Canada)

Basic shipping requirements:

UN number UN3266

Proper shipping name CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.

Technical name SODIUM HYDROXIDE

Hazard class 8
Packing group II
Special provisions 16

IATA/ICAO (Air)

Basic shipping requirements:

UN number UN3266

Proper shipping name Corrosive liquid, basic, inorganic, n.o.s.

Technical name Sodium hydroxide

Hazard class 8
Packing group ||

IMDG (Marine Transport)

Basic shipping requirements:

UN number UN3266

Proper shipping name CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.

Technical name Sodium hydroxide

Hazard class 8
Packing group II

DOT



IATA; IMDG; TDG



15. Regulatory information

Canadian federal regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

WHMIS 2015 Exemptions Not applicable

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Sodium hydroxide (CAS 1310-73-2) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not listed

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely N

hazardous substance

Classified hazard Skin corrosion or irritation

categories Serious eye damage or eye irritation

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

US state regulations

US - California Hazardous Substances (Director's): Listed substance

Sodium hydroxide (CAS 1310-73-2) Listed.

US - Illinois Chemical Safety Act: Listed substance

Sodium hydroxide (CAS 1310-73-2)

US - Louisiana Spill Reporting: Listed substance

Sodium hydroxide (CAS 1310-73-2) Listed.

US - Minnesota Haz Subs: Listed substance

Sodium hydroxide (CAS 1310-73-2) Listed.

US - Texas Effects Screening Levels: Listed substance

Sodium hydroxide (CAS 1310-73-2) Listed.

US. Massachusetts RTK - Substance List

Sodium hydroxide (CAS 1310-73-2)

US. New Jersey Worker and Community Right-to-Know Act

Sodium hydroxide (CAS 1310-73-2)

US. Pennsylvania Worker and Community Right-to-Know Law

Sodium hydroxide (CAS 1310-73-2)

US. Rhode Island RTK

Sodium hydroxide (CAS 1310-73-2)

US. California Proposition 65

Not Listed.

Inventory status


Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other information







Disclaimer

Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document. The information in the sheet was written based on the best knowledge and experience currently available.

Issue date 22-April-2020

Version # 02

Effective date 22-April-2020

Prepared by Nu-Calgon Technical Service Phone: (314) 469-7000

Further information Not available.

Other information For an updated SDS, please contact the supplier/manufacturer listed on the first page of the

document.