4291-18

Nu-Brite

CONDENSER COIL CLEANER

Heavy Duty Cleaning Power

Powerful Foaming Action
Excellent for Kitchen Areas
Cuts Through Cooking
Grease & Oil
Spray, Rinse & Go!



DANGER:

CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.

CONTENTS UNDER PRESSURE.

KEEP OUT OF REACH OF CHILDREN.
Read carefully other cautions on back panel.

FOR PROFESSIONAL USE ONLY

RUBBER ROOFS: In general, the product is safe on rubber roofs except where the rubber roof is impregnated with aluminum chips (i.e. modified bitumen roof); do not use on rubber roofs that contain aluminum. In these circumstances, use Nu-Blast®, Cal-Blast®, Blackhawk™ or Aerosol Tri-Pow′r®HD - first evaluate in a small area.

DIRECTIONS FOR USE:

This product must be used in accordance to the following directions by HVACR professionals only.

- 1. Prior to use, insure area has adequate ventilation.
- 2. Use goggles, gloves, and other protective clothing.
- 3. Shut off and protect sensitive controls or contacts with plastic.
- 4. Apply Aerosol Nu-Brite® to coil or other greasy surface, and allow it to emulsify deposits for about 5 minutes. For heavily soiled or very greasy deposits, wait up to 10 minutes.
- 5. Rinse thoroughly to insure adequate flushing.
- 6. For coils, apply Cal-Shield® coating for added corrosion protection.





Aerosol Nu-Brite® is a convenient option

for effective cleaning of grimy, dirt

loaded condenser coils. Its high foaming

characteristic pushes soil deposits out of

the coil and leaves a clean, brightened

coil. Product is not recommended for

painted fin or microchannel coils - Use

Aerosol Tri-Pow'r®HD, Cal-Blast®, or

Nu-Blast®. Aerosol Nu-Brite® can also

be used in a kitchen setting with proper

provisions. It is highly effective in

emulsifying stubborn, oil-based deposits

that can plug coils located in kitchens.

In this application, the product must be

used where ample ventilation exists. In

all applications, Aerosol Nu-Brite® must

DO NOT USE ON EVAPORATOR COILS.

EFFECT ON ROOFING MATERIAL:

Depending on its composition and condition, the color and finish of the

roofing material can be affected by the coil

cleaners (e.g. discoloration or tarnishing)

It is recommended that the coil cleaner

be tested on a small area of the roof prior

to cleaning, particularly galvanized or

standing seam metal roofs. Do not use on aluminum or aluminum-coated surfaces.

be thoroughly rinsed.

DANGER

Contains gas under pressure; may explode if heated. May be corrosive to metals. Causes severe skin burns and eye damage.

PREVENTION: Keep only in original packaging. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Do not breathe mist or vapor. **RESPONSE:** Absorb spillage to prevent material damage.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (OR HAIR): Take off immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

STORAGE: Stored locked up. Protect from sunlight. Store in a well-ventilated place. Store in a corrosion resistant container with a resistant inner liner.

KEEP OUT OF REACH OF CHILDREN.

DISPOSAL: Dispose of contents/container in accordance with local/regional/international regulations.

CONTAINS (CAS#): Aqua (7732-18-5), Sodium Hydroxide (1310-73-2), Butane (106-97-8), Ethanolamine (141-43-5), Propane (74-98-6). For more ingredient informationvisit www.nucalgon.com. 800-554-5499.





MADE IN THE USA WITH GLOBALLY SOURCED MATERIALS

Manufactured for: Nu-Calgon 2611 Schuetz Rd. St. Louis, MO 63043 Customer Service: 800-554-5499 Chemical Emergency: 800-424-9300 www.nucalgon.com (1120) Calgon is a licensed trade name.

