

Printing date 01/24/2022

Reviewed on 01/24/2022

## 1 Identification

- **Product name:** EasyDye
  - **Product Code** 4050-51
  - **Application of the substance / preparation** Dyestuff/Colouring agent
- **Details of the supplier of the safety data sheet**
  - **Manufacturer/Supplier:**  
Nu-Calgon  
2611 Schuetz Road  
St. Louis, MO 63043 314-469-7000 /  
80-554-5499
  - **Department:** Regulatory
  - **Emergency Telephone:**  
1-800-424-9300 (CHEMTRAC)

## 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS08 Health hazard

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

- **Additional information:**  
As per GHS rules, liquid hydrocarbons which display a low kinematic viscosity are categorized as aspiration hazards.

- **Label elements**

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).


- **Hazard pictograms** GHS08
- **Signal word** Danger
- **Hazard-determining components of labeling:**  
Solvent naphtha (petroleum), heavy arom.
- **Hazard statements**  
H304 May be fatal if swallowed and enters airways.
- **Precautionary statements**  
P301+P310 If swallowed: Immediately call a poison center/doctor.  
P331 Do NOT induce vomiting.  
P405 Store locked up.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

## 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**

- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Hazardous components:**

64742-94-5	Solvent naphtha (petroleum), heavy arom.	 Asp. Tox. 1, H304	50-100%
------------	--	---	---------

US  
(Contd. on page 2)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 01/24/2022

Reviewed on 01/24/2022

Product name: EasyDye

(Contd. from page 1)

## 4 First-aid measures

### · Description of first aid measures

- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.  
Rinse opened eye for several minutes under running water.
- **After swallowing:** Seek medical treatment.
- **Information for doctor:**
  - **Most important symptoms and effects, both acute and delayed** No further relevant information available.
  - **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

## 5 Fire-fighting measures

- **Extinguishing media**
  - **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture**  
Formation of toxic gases is possible during heating or in case of fire.  
No further relevant information available.
- **Advice for firefighters**
  - **Protective equipment:**  
Wear self-contained respiratory protective device.  
Wear fully protective suit.
- **Additional information**  
Collect contaminated fire fighting water separately. It must not enter the sewage system.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Ensure adequate ventilation  
Wear protective clothing.
- **Environmental precautions:**  
Do not allow product to reach sewage system or any water course.  
Dilute with plenty of water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## 7 Handling and storage

- **Handling:**
  - **Precautions for safe handling** Prevent formation of aerosols.
  - **Protection against explosions and fires:** No special measures required.

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 01/24/2022

Reviewed on 01/24/2022

Product name: EasyDye

(Contd. from page 2)

- **Special Sensitivity:** Keep container closed when not in use.
- **Conditions for safe storage, including any incompatibilities**
  - **Storage:**
    - **Requirements for storerooms and containers:** No special requirements.
    - **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Technical systems:**  
Facilities using this material should be equipped with an eye wash station and a safety shower.

- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

**64742-94-5 Solvent naphtha (petroleum), heavy arom.**

ACGIH-TLV	Short-term value: 10 mg/m <sup>3</sup> Long-term value: 5 mg/m <sup>3</sup>
-----------	--

- **Additional Occupational Exposure Limit Values for possible hazards during processing:**  
Oil mists: When mists / aerosols can occur, the following are recommended: 5 mg/m<sup>3</sup> - ACGIH TLV

- **Exposure controls**

- **Personal protective equipment:**

- **General protective and hygienic measures:**

Do not allow product to reach soil or surface water. Handle with care to minimize any exposure. The usual precautionary measures should be used when handling commercial/industrial chemicals.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

- **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

- **Protection of hands:**

Use of gloves suggested; concentrated dye/pigment products may stain skin if directly contacted.

- **Glove Material** No specified glove material; most liquid-impervious protective gloves will suffice.

- **Eye protection:** Goggles recommended during refilling.

- **Body protection:** Protective work clothing

## 9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

· <b>Form:</b>	Liquid
· <b>Color:</b>	Yellow
· <b>Odor:</b>	Odorless

- **pH-value:** Not determined.

- **Change in condition**

- **Melting point/Melting range:** Undetermined.

- **Boiling point/Boiling range:** 400 °C (752 °F)

- **Flash point:** Not applicable.

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 01/24/2022

Reviewed on 01/24/2022

Product name: EasyDye

(Contd. from page 3)

· <b>Flammability (solid, gaseous):</b>	Not applicable.
· <b>Decomposition temperature:</b>	Not determined.
· <b>Auto igniting:</b>	Product is not selfigniting.
· <b>Danger of explosion:</b>	Product does not present an explosion hazard.
· <b>Explosion limits:</b>	
· <b>Lower:</b>	Not determined.
· <b>Upper:</b>	Not determined.
· <b>Vapor pressure at 20 °C (68 °F):</b>	0.1 hPa
· <b>Density:</b>	Not determined.
· <b>Relative density</b>	Not determined.
· <b>Solubility in / Miscibility with</b>	
· <b>Water:</b>	Soluble.
· <b>Solvent separation test</b>	
· <b>Water:</b>	10.0 %
· <b>VOC content:</b>	0.00 %
· <b>Solids content:</b>	0.0 %
· <b>Other information</b>	No further relevant information available.

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
  - **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:**  
In the case of a fire, oxides of carbon, fumes, and smoke may be produced.

## 11 Toxicological information

- **Information on toxicological effects**
  - **Acute toxicity:**
    - **LD/LC50 values that are relevant for classification:**  
Product has not been tested.

64742-94-5 Solvent naphtha (petroleum), heavy arom.

Oral LD50 &gt;5,000 mg/kg (rat)

- **Primary irritant effect:**
  - **on the skin:** No irritant effect.
  - **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.

- **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 01/24/2022

Reviewed on 01/24/2022

Product name: EasyDye

(Contd. from page 4)

## · Carcinogenic categories

### · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

### · NTP (National Toxicology Program)

None of the ingredients is listed.

### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## 12 Ecological information

### · Toxicity

- **Aquatic toxicity:** No further relevant information available.

- **Persistence and degradability** No further relevant information available.

### · Behavior in environmental systems:

- **Bioaccumulative potential** No further relevant information available.

- **Mobility in soil** No further relevant information available.

### · Additional ecological information:

#### · General notes:

Not hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

### · Waste treatment methods

#### · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Must be specially treated adhering to official regulations.

### · Uncleaned packagings:

- **Recommendation:** Disposal must be made according to official regulations.

- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

## 14 Transport information

### · UN-Number

- DOT, ADR, ADN, IMDG, IATA Void

### · UN proper shipping name

- DOT, ADR, ADN, IMDG, IATA Void

### · Transport hazard class(es)

- DOT, ADR, ADN, IMDG, IATA

- Class Void

### · Packing group

- DOT, ADR, IMDG, IATA Void

- **Environmental hazards:** Not applicable.

- **Special precautions for user** Not applicable.

(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 01/24/2022

Reviewed on 01/24/2022

Product name: EasyDye

(Contd. from page 5)

· UN "Model Regulation": Void

## 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- CERCLA Reportable Quantity (RQ)
- SARA

- Section 355 (extremely hazardous substances):

None of the ingredients is listed.

- Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

- TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

- Hazardous Air Pollutants

None of the ingredients is listed.

- Carcinogenic categories

- EPA (Environmental Protection Agency)

None of the ingredients is listed.

- TLV (Threshold Limit Value)

None of the ingredients is listed.

- NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- Clean Water Act

- Clean Water Act - Toxic Pollutants (40 CFR 401.15)

None of the ingredients is listed.

- GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

- Hazard pictograms GHS08

- Signal word Danger

- Hazard-determining components of labeling:

Solvent naphtha (petroleum), heavy arom.

- Hazard statements

H304 May be fatal if swallowed and enters airways.

- Precautionary statements

P301+P310 If swallowed: Immediately call a poison center/doctor.

P331 Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- National regulations:

- Other regulations, limitations and prohibitive regulations

Este producto contiene riesgos agudos y/o cronicos segun SARA 311 o 312.

(Contd. on page 7)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 01/24/2022

Reviewed on 01/24/2022

**Product name: EasyDye**

(Contd. from page 6)

**· Other classification information****· NFPA ratings (scale 0 - 4)**

Health = 1

Fire = 0

Reactivity = 0

**· HMIS-ratings (scale 0 - 4)**

Health = 1

Fire = 0

Reactivity = 0

**16 Other information**

The information in this Safety Data Sheet relates only to the specific material designated herein. It does not relate to use in combination with any other material or in any process. This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of the manufacturer/supplier. The data on this sheet are related only to the specific material designated herein, and the information available for all ingredients at the time of creation. Manufacturer/supplier assumes no responsibility for use or reliance upon these data. Any information that is withheld herein (such as exact chemical identity or exact concentration) has been reserved as a trade secret as per applicable regulations.

**· Contact: ABH****· Date of preparation / last revision** 01/24/2022 / -**· Abbreviations and acronyms:**

Asp. Tox. 1: Aspiration hazard – Category 1

US