

Safety Data Sheet

According to SOR/2015-17, Hazardous Products Regulations (HPR) (amended 2022) & According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS) (amended 2024) Issue date: 06/20/2025 Version: 1.0

SECTION 1 Identification

1.1. GHS Product identifier

Product form : Mixture

Product name : Rx-Acid Scavenger, Pressurized

Product code : 4301-05 Vaporizer : Aerosol

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Recommended use : Acid neutralizer

1.4. Supplier's details

Manufacturer

Nu-Calgon 2611 Schuetz Road St. Louis, MO

63043 US

T 314-469-7000 / 800-554-5499

www.nucalgon.com

1.5. Emergency phone number

Emergency number : 1-800-424-9300 (CHEMTREC)

SECTION 2 Hazard identification

2.1. Classification of the substance or mixture

Classification (GHS CA/US)

Aerosol, Category 1

Acute toxicity (oral), Category 4
Reproductive toxicity, Category 1B

Specific target organ toxicity, Repeated exposure, Category 1

Harmful if swallowed

May damage fertility or the unborn child

Causes damage to organs through prolonged or repeated exposure.

2.2. GHS label elements, including precautionary statements

GHS CA/US labeling

Hazard pictograms (GHS CA/US)







Signal word (GHS CA/US) : Danger

Hazard statements (GHS CA/US) : Extremely flammable aerosol

Pressurized container; may burst if heated

Harmful if swallowed

May damage fertility or the unborn child

Causes damage to organs through prolonged or repeated exposure.

Safety Data Sheet

According to SOR/2015-17, Hazardous Products Regulations (HPR) (amended 2022) & According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS) (amended

Precautionary statements (GHS CA/US)

: Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Do not spray on an open flame or other ignition source.

Do not pierce or burn, even after use.

Do not breathe mist.

Wash hands, forearms and face thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves, protective clothing, eye protection, face protection, and hearing

IF exposed or concerned: Get medical advice or attention.

IF SWALLOWED: Call a POISON CENTER or a doctor if you feel unwell.

Rinse mouth. Store locked up.

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

Dispose of contents and container to hazardous or special waste collection point, in accordance

with local, regional, national or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

SECTION 3 Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	%
Benzenamine, N,N'-methanetetraylbis[2,6-bis(1-methylethyl)-	Bis(2,6- diisopropylphenyl)carbodiimide / 2,2',6,6'-Tetraisopropyl-diphenyl- carbodiimide / N,N'-Bis(2,6- diisopropylphenyl)carbodiimide	CAS-No.: 2162-74-5	10 – 30

Comments

: CANADA GHS: The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with the amended HPR as of December 2022.

US GHS: The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

SECTION 4 First-aid measures

4.1. Description of necessary first-aid measures

First-aid measures after inhalation

: Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek medical advice.

First-aid measures after skin contact First-aid measures after eye contact

: Wash skin with plenty of water. Obtain medical attention if irritation persists.

: Rinse eyes with water as a precaution. Remove contact lenses, if present and easy to do.

First-aid measures after ingestion

Continue rinsing. Obtain medical attention if irritation persists. : IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell. Rinse mouth. Do not

induce vomiting. If vomiting occurs have person lean forward. Never give anything by mouth to an unconscious person.

06/20/2025 (Issue date) CA/US 2/9

Safety Data Sheet

According to SOR/2015-17, Hazardous Products Regulations (HPR) (amended 2022) & According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS) (amended 2024)

First-aid measures general : Call a poison center or a doctor if you feel unwell, seek medical advice (show

the label where possible). Medical personnel should be made aware of substance(s) involved and take measures for self protection. Show this safety data sheet to the doctor in attendance.

Avoid contact with skin and eyes. Keep out of the reach of children.

4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects after inhalation : Prolonged inhalation may be harmful.

Symptoms/effects after skin contact : Prolonged or repeated contact may dry skin and cause irritation.

Symptoms/effects after eye contact : Direct contact with eyes may cause temporary irritation.

Symptoms/effects after ingestion : Harmful if swallowed. May cause stomach distress, nausea or vomiting.

Chronic symptoms : May damage fertility or the unborn child. Causes damage to organs through prolonged or

repeated exposure.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Other medical advice or treatment : Symptoms may be delayed. Treat symptomatically.

SECTION 5 Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media : Dry chemical. Carbon dioxide. Alcohol-resistant foam.
Unsuitable extinguishing media : Do not use a water jet since it may cause the fire to spread.

5.2. Specific hazards arising from the chemical

Fire hazard : Extremely flammable aerosol. During fire, gases hazardous to health may be formed. In case of

fire or explosion do not breathe fumes.

Explosion hazard : Pressurized container: may burst if heated. No direct explosion hazard.

Hazardous decomposition products in case of fire : May include and are not limited to: oxides of carbon.

5.3. Special protective actions for fire-fighters

Firefighting instructions : In case of fire: Stop leak if safe to do so. Do not enter fire area without proper protective

equipment, including respiratory protection. Move containers from fire area if it can be done

without personal risk.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : In the event of a significant spillage : Notify authorities if product enters sewers or public waters.

Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

Environmental precautions : Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.2. Methods and materials for containment and cleaning up

For containment : Stop leaks if it can be done without personal risk. Contain any spills with dikes or absorbents to

prevent migration and entry into sewers or streams.

Methods for cleaning up : Pick up spilled material and collect it in a suitable container for disposal. . Soak up with inert

absorbent material (for example sand, sawdust, a universal binder, silica gel). Clean

contaminated surfaces with an excess of water.

Other information : This material and its container must be disposed of in a safe way, and as per local legislation.

06/20/2025 (Issue date) CA/US 3/9

Safety Data Sheet

According to SOR/2015-17, Hazardous Products Regulations (HPR) (amended 2022) & According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS) (amended 2024)

For further information refer to section 13

SECTION 7 Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Wear personal protective equipment. Avoid contact with skin and eyes. Do not breathe dust. Do not taste or swallow. Ensure good ventilation of the work station. Handle and open container with care.

Hygiene measures

Separate working clothes from town clothes. Launder separately. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Keep out of reach of children. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store this product upright in a cool, dry area, away from direct sunlight and heat. Store away from incompatible materials (see Section 10 of the SDS). Store locked up.

SECTION 8 Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.
 Avoid release to the environment.

Environmental exposure controls

8.3. Individual protection measures, such as personal protective equipment (PPE)

Hand protection:

Wear protective gloves. Confirm with a reputable supplier first.

Eye protection:

Wear eye protection

Skin and body protection:

Wear suitable protective clothing. As required by employer code.

Respiratory protection:

Use respiratory protection. Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.

Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134), CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2).

Safety Data Sheet

Auto-ignition temperature

Decomposition temperature

According to SOR/2015-17, Hazardous Products Regulations (HPR) (amended 2022) & According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS) (amended 2024)

SECTION 9 Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state : Liquid Appearance : Aerosol.

Color Colorless to Straw Odor Mildly aromatic. Odor threshold No data available рΗ No data available Relative evaporation rate (butyl acetate=1) No data available Relative evaporation rate (ether=1) No data available Melting point Not applicable Freezing point No data available Boiling point No data available Flash point No data available

Flammability (solid, gas) : Extremely flammable aerosol

Vapor pressure : No data available
Relative vapor density at 20°C : No data available
Relative density : No data available
Solubility : No data available
Partition coefficient n-octanol/water (Log Pow) : No data available
Viscosity, kinematic : No data available

Explosive properties : Pressurized container: may burst if heated. Not explosive.

Oxidizing properties : Not oxidising.

Explosion limits : No data available

Particle characteristics : No data available

9.2. Data relevant with regard to physical hazard classes (supplemental)

Heat of combustion : 2547 kJ/mol

SECTION 10 Stability and reactivity

Reactivity : Extremely flammable aerosol. Pressurized container: may burst if heated.

No data available

No data available

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No dangerous reactions known under normal conditions of use.

Conditions to avoid : Avoid contact with hot surfaces. No flames, no sparks. Eliminate all sources of ignition. Do not

mix with other chemicals.

Incompatible materials : Strong oxidizing agents.

Hazardous decomposition products : May include and are not limited to: oxides of carbon. Nitrogen oxides. Hydrogen cyanide.

SECTION 11 Toxicological information

11.1. Likely routes of exposure

Acute toxicity (oral) : Harmful if swallowed.

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

Rx-Acid Scavenger, Pressurized	
ATE CA (oral)	635.076 mg/kg body weight
Unknown acute toxicity (GHS CA/US)	52.02% of the mixture consists of ingredient(s) of unknown acute toxicity (Oral)

Safety Data Sheet

According to SOR/2015-17, Hazardous Products Regulations (HPR) (amended 2022) & According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS) (amended 2024)

Benzenamine, N,N'-methanetetraylbis[2,6-bis(1-methylethyl)- (2162-74-5)	
LD50 oral rat	200 mg/kg (Source: NLM_CIP)
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)
ATE CA (oral)	200 mg/kg body weight
Skin corrosion/irritation :	Not classified

Skin corrosion/irritation : Not classified
Serious eye damage/irritation : Not classified
Respiratory or skin sensitization : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified

Reproductive toxicity : May damage fertility or the unborn child.

STOT-single exposure : Not classified

STOT-repeated exposure : Causes damage to organs through prolonged or repeated exposure.

Benzenamine, N,N'-methanetetraylbis[2,6-bis(1-methylethyl)- (2162-74-5)	
NOAEL (oral,rat,90 days)	4 mg/kg body weight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)
Aspiration hazard	: Not classified

Likely routes of exposure : Skin and eye contact. Ingestion. Inhalation. Symptoms/effects after inhalation : Prolonged inhalation may be harmful.

Symptoms/effects after skin contact : Prolonged or repeated contact may dry skin and cause irritation. Symptoms/effects after eye contact : Direct contact with eyes may cause temporary irritation.

Symptoms/effects after ingestion : Harmful if swallowed. May cause stomach distress, nausea or vomiting.

Chronic symptoms : May damage fertility or the unborn child. Causes damage to organs through prolonged or

repeated exposure.

SECTION 12 Ecological information

12.1. Toxicity

Ecology - general : See below for route-specific details.

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Not classified

(chronic)

Benzenamine, N,N'-methanetetraylbis[2,6-bis(1-methylethyl)- (2162-74-5)		
LC50 - Fish [1]	> 0.1 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static] Source: ECHA)	
EC50 - Crustacea [1]	0.004 mg/l Test organisms (species): Daphnia magna	
EC50 72h - Algae [1]	> 0.0085 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	

12.2. Persistence and degradability

Rx-Acid Scavenger, Pressurized		
Persistence and degradability Rapidly degradable		
Benzenamine, N,N'-methanetetraylbis[2,6-bis(1-methylethyl)- (2162-74-5)		
Persistence and degradability	Rapidly degradable	

Safety Data Sheet

According to SOR/2015-17, Hazardous Products Regulations (HPR) (amended 2022) & According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS) (amended 2024)

12.3. Bioaccumulative potential

Benzenamine, N,N'-methanetetraylbis[2,6-bis(1-methylethyl)- (2162-74-5)	
Partition coefficient n-octanol/water (Log Pow)	> 6.2 (at 30 °C (at pH 7)

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Ozone : Not classified

Fluorinated greenhouse gases : No

SECTION 13 Disposal considerations

Waste treatment methods

Sewage disposal recommendations

Product/Packaging disposal recommendations

- : Dispose of the material collected according to regulations.
- : Disposal must be done according to official regulations.
- : Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling, disposal or collection.

SECTION 14 Transport information

In accordance with TDG / DOT / IMDG / IATA

TDG	DOT	IMDG	IATA	
14.1. UN Number	14.1. UN Number			
UN1950	UN1950	1950	1950	
14.2. UN Proper Shipping Name	9			
AEROSOLS	Aerosols	AEROSOLS	Aerosols, flammable	
Transport document description	Transport document description			
UN1950 AEROSOLS, 2.1	UN1950 Aerosols, 2.1	UN 1950 AEROSOLS, 2.1	UN 1950 Aerosols, flammable, 2.1	
14.3. Transport hazard class(es	14.3. Transport hazard class(es)			
LTD QTY	LTD QTY	LTD QTY	LTD QTY Y	
			Y	
14.4. Packing group, if applicat	14.4. Packing group, if applicable			
Not applicable	Not applicable	Not applicable	Not applicable	
14.5. Environmental hazards				
Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	
No supplementary information availab	ble			

Safety Data Sheet

According to SOR/2015-17, Hazardous Products Regulations (HPR) (amended 2022) & According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS) (amended 2024)

14.6. Special precautions for user

TDG

UN-No. (TDG) : UN1950
Excepted quantities (TDG) : E0
Emergency Response Guide (ERG) Number : 126

DOT

UN-No. (DOT) : UN1950

DOT Special Provisions (49 CFR 172.102) : N82 - See 173.306 of this subchapter for classification criteria for flammable aerosols.

DOT Packaging Exceptions (49 CFR 173.xxx) : 306
DOT Quantity Limitations Passenger aircraft/rail (49 : 75 kg

CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49

CFR 175.75)

DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel.

: 150 kg

DOT Vessel Stowage Other : 25 - Shade from radiant heat,87 - Stow "separated from" Class 1 (explosives) except Division

14,126 - Segregation same as for Class 9, miscellaneous hazardous materials

IMDG

Special provision (IMDG) : 63, 190, 277, 327, 344, 381, 959

Limited quantities (IMDG) : SP277

Excepted quantities (IMDG) : E0

Packing instructions (IMDG) : P207, LP200

Packing provisions (IMDG) : PP87, L2

EmS-No. (Fire) : F-D - FIRE SCHEDULE Delta - FLAMMABLE GASES

EmS-No. (Spillage) : S-U - SPILLAGE SCHEDULE Uniform - GASES (FLAMMABLE, TOXIC OR CORROSIVE)

Stowage category (IMDG) : None
Stowage and handling (IMDG) : SW1, SW22
Segregation (IMDG) : SG69

IATA

PCA Excepted quantities (IATA) : E0
PCA Limited quantities (IATA) : Y203
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 203
PCA max net quantity (IATA) : 75kg
CAO packing instructions (IATA) : 203
CAO max net quantity (IATA) : 150kg

Special provision (IATA) : A145, A167, A802

ERG code (IATA) : 10L

14.7. Transport in bulk according to Annex II of MARPOL 73/789(^9) and the IBC Code(^10)

Not applicable

SECTION 15 Regulatory information

All components of this product are present on DSL

Petroleum gases, liquefied, sweetened (68476-86-8)	
Toxic Substance (CEPA – Schedule I)	Yes

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Safety Data Sheet

According to SOR/2015-17, Hazardous Products Regulations (HPR) (amended 2022) & According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS) (amended 2024)

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16 Other Information

Issue date : 06/20/2025

Other information : For an updated SDS, please contact the supplier or manufacturer listed on the first page of the

document.

Prepared by: Nu-Calgon Technical Service Phone: (314) 469-7000.

The information in the safety data sheet was written based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.